



Luminaire Catalogue 2025



LED LIGHTING • OUTDOOR LIGHTING • ARCHITECTURAL LIGHTING

www.traboled.com



Why choose TRABO

for lighting solutions

Best products

Our LED lighting provides you with:

Unbeatable quality

Industry-leading quality and reliability ensure our lights keep their output and light quality over the full warranted lifetime.

Easy-to-install

The efficient design of the Lighting fixtures enables replacement of existing lights, with no need for expensive re-wiring or new ceiling configurations. Our LED lamps are compatible with most dimmers and transformers for easy installation, retaining their full specifications and lifetimes for lowest Total Cost of Ownership.

Leading the way

With Trabo lighting you get much more than high quality and easy to install lighting solutions - you get LED lighting that's setting the reference in the industry. It has never been easier to bring the power of connected lighting to small- and medium-sized enterprises thanks to our InteractReady range that works seamlessly with the intuitive InteractPro software.

TRABO illuminates your world with state-of-the-art lighting solutions that will transform your living spaces like never before. As a leading provider of LED strip lights, we offer an extensive range of products at highly competitive prices without compromising on quality. Our human-centric approach to lighting merges cutting-edge aesthetics with technological and electronic expertise, making us a proud Indian brand that can elevate your lifestyle and bring a touch of sophistication to your decor. Our lighting solutions are designed to be more than just a replacement for conventional lighting. With an unprecedented lifespan and the highest efficacy of any commercial technology, TRABO lighting will take you beyond conventional lighting and into a world of unparalleled beauty and elegance.

Vision

Our vision is to help our customers reduce their carbon footprint while enjoying healthy, safe, and sustainable lighting solutions that promote energy savings. We strive to achieve this through ethical business practices, global reach, technological expertise, and building long-term relationships with all our associates, customers, partners, and employees.


Mission

At TRABO, we are committed to delivering exceptional customer delight and pursuing excellence by constantly improving ourselves, our teams, our services, and our products. We also set high standards for our business and products and lead by example. Join us on our journey to a brighter and more beautiful world.



Downlighters Ambient Lighting
Overall Illumination , Ceiling Recessed
Panel or Downlighters

05-08




COB Lights Accent Lights
For Highlighting objects or areas, Creating
Drama or Focus

09-26

Surface Lights Exceptional Light
For General Room Lighting which can be placed
without POP Ceiling

27-45



Magnetic, Luxury Lights
Adjustable Lights mounted on a magnetic Channel,
Great for Accent or Task Lighting

46-53

Outdoor Light
It's All about Blending function with
Aesthetics

56-74




DOWN-LIGHTER



RIMLESS

DOWNLIGHT



CODE	POWER	CUT. SIZE	SHAPE	BEAM ANGLE	IP
TR-RMS/12W	12W	Φ115MM	RD	120°	IP 20
TR-RMS/18W	18W	Φ150MM	RD	120°	IP 20

BODY COLOR: BLACK & WHITE
CCT: 3000K, 4000K, 6000K, 3IN1



ZIGMA

BACKLIT




CODE	POWER	CUT SIZE	SHAPE	BEAM ANGLE	IP
TR-ZGM/12W	12W	100MM	ROUND	120°	IP 20
TR-ZGM/18W	18W	125MM	ROUND	120°	IP 20
TR-ZGM/24W	24W	150MM	ROUND	120°	IP 20

BODY COLOR: BLACK & WHITE
CCT: 3000K, 4000K, 6000K



ECO

RECESSED PANEL



CODE	POWER	CUT. SIZE	SHAPE	BEAM ANGLE	IP
TR-ECO(P)/8W	8W	100MM	ROUND/SQUARE	120°	IP 20
TR-ECO(P)/15W	15W	150MM	ROUND/SQUARE	120°	IP 20
TR-ECO(P)/22W	22W	200MM	ROUND/SQUARE	120°	IP 20

BODY COLOR: WHITE
CCT: 3000K, 4000K, 6000K, 3in1



COB LIGHTS



DELTA

COB



CODE	POWER	CUT. SIZE	BEAM ANGLE	IP
TR-DEL/7W	7W	Φ55MM	38°	IP 20
TR-DEL/12W	12W	Φ75MM	38°	IP 20
TR-DEL/18W	18W	Φ80MM	38°	IP 20
TR-DEL/30W	30W	Φ130MM	60°	IP 20

BODY COLOR: BLACK & WHITE
CCT: 3000K, 4000K, 6000K, 3IN1



LUKE

COB



CODE	POWER	CUT. SIZE	BEAM ANGLE	IP
TR-LUK/07W	7W	Φ 65MM	45°	IP20
TR-LUK/12W	12W	Φ 80MM	45°	IP20
TR-LUK/18W	18W	Φ 90MM	45°	IP20

REFLECTOR



BODY COLOR: BLACK, WHITE
CCT: 3000K, 4000K, 5000K, 6000K



SIGMA

COB



CODE	POWER	CUT. SIZE	BEAM ANGLE	IP
TR-SGM/7W	7W	60 MM	45°	IP20
TR-SGM/12W	12W	75MM	45°	IP20

REFLECTOR




BODY COLOR: BLACK & WHITE
CCT: 3000K, 4000K, 6000K



GLINT

COB



CODE	POWER	CUT. SIZE	BEAM ANGLE	IP
TR-GLT/07W	7W	Φ 55MM	38°	IP20
TR-GLT/12W	12W	Φ 75MM	38°	IP20
TR-GLT/18W	18W	Φ 85MM	38°	IP20

BODY COLOR: BLACK, ROSE GOLD
CCT: 3000K, 4000K, 6000K, 3in1



AMBER

COB




CODE	POWER	CUT SIZE	BEAM ANGLE	IP
TR-AMB/4W	4W	55MM	38°	IP20
TR-AMB/12W	12W	80MM	38°	IP20
TR-AMB/18W	18W	100MM	38°	IP20
TR-AMB/30W	30W	132MM	45°	IP20
TR-AMB/50W	50W	145MM	45°	IP20

BODY COLOR: WHITE
CCT: 3000K, 4000K, 6000K



GRACE

COB



CODE	POWER	CUT. SIZE	BEAM ANGLE	IP
TR-GRC/12W	12W	75MM	38°	IP20

BODY COLOR: WHITE (SATIN REFLECTOR)
CCT: 3000K, 4000K, 6000K



COOPER

COB



CODE	POWER	CUT. SIZE	BEAM ANGLE	IP
TR-CPR/12W	12W	Φ 75MM	38°	IP 20

BODY COLOR: BLACK (SATIN REFLECTOR)
CCT: 3000K, 4000K, 6000K



PLUTO

COB



CODE	POWER	CUT. SIZE	BEAM ANGLE	IP
TR-PLU/03W	3W	Φ 35MM	38°	IP 20

BODY COLOR: BLACK & COPPER FINISH
CCT: 3000K, 4000K



PLUTO CURVE

COB



CODE	POWER	CUT SIZE	BEAM ANGLE	IP
TR-PLU(C)/03W	3W	Φ 25MM	36°	IP 20

BODY COLOR:
WHITE, GUN BLACK & ROSE GOLD
CCT: 3000K, 4000K



WALL WASHER

COB



CODE	POWER	CUT. SIZE	BEAM ANGLE	IP
TR-WLSH/12W	12W	Φ75MM	45°	IP 20

BODY COLOR: WHITE
CCT: 3000K, 4000K, 6000K



EVO

COB



CODE	POWER	CUT. SIZE	BEAM ANGLE	IP
TR-EVO/06W	6W	Φ 50MM	24°	IP20
TR-EVO/12W	12W	Φ 75MM	24°	IP20

BODY COLOR: WHITE (With Black Reflector)
CCT: 3000K, 4000K



LINEAR SPOT LIGHT

COB



CODE	POWER	CUT. SIZE	BEAM ANGLE	IP
TR-LNR/06W	6W	Φ 58x35MM	30°	IP20
TR-LNR/12W	12W	Φ 137x35MM	30°	IP20
TR-LNR/20W	20W	Φ 237x37MM	30°	IP20

REFLECTOR



BODY COLOR: Black
CCT: 4000K



DUAL

COB



CODE	POWER	CUT. SIZE	BEAM ANGLE	IP
TR-DUL/14W	7Wx2	Φ 55x115MM	38°	IP20

BODY COLOR: WHITE (With Black Reflector)
CCT: 3000K, 4000K



PULL OUT

COB




CODE	POWER	CUT. SIZE	BEAM ANGLE	IP
TR-PUL/12W	12W	Φ 75MM	38°	IP20

BODY COLOR: WHITE (With Black Reflector)
CCT: 3000K, 4000K, 6000K



ORB

COB



CODE	POWER	CUT. SIZE	BEAM ANGLE	IP
TR-ORB/24W	12Wx2	Φ 145x75MM	36°	IP20

BODY COLOR: BLACK (With Black Reflector)
CCT: 3000K, 4000K



Eiffel

COB



CODE	POWER	CUT. SIZE	SHAPE	BEAM ANGLE	IP
TR-EFL/7W	7W	Φ 65MM	ROUND	38°	IP20

BODY COLOR: BLACK
CCT : 4000K



Eiffel COB



SURFACE LIGHTS

Glow Beyond Limits



MOON SURFACE

PANEL




CODE	POWER	SHAPE	DIMENSION	BEAM ANGLE	IP
TR-MSR/8W	8W	ROUND	75MM	120°	IP20
TR-MSR/15W	15W		100MM	120°	IP20
TR-MSR/22W	22W		150MM	120°	IP20

BODY COLOR: BLACK, WHITE
CCT: 3000K, 4000K, 6000K, 3in1



OMEGA CYLINDER

SURFACE COB



CODE	POWER	DIMENSION	BEAM ANGLE	IP
TR-OCY/8W	8W	Φ 55x70MM	38°	IP20
TR-OCY/12W	12W	Φ 70x90MM	45°	IP20
TR-OCY/22W	22W	Φ 85x100MM	45°	IP20
TR-OCY/30W	30W	Φ 95x120MM	45°	IP20

REFLECTOR



BODY COLOR: WHITE, BLACK
CCT: 3000K, 4000K, 6000K



ALPHA CYLINDER

SURFACE COB



CODE	POWER	DIMENSION	BEAM ANGLE	IP
TR-ACY/8W	8W	D:60,H:80MM	38°	IP20
TR-ACY/15W	15W	D:75,H:90MM	38°	IP20

REFLECTOR





BODY COLOR: BLACK
CCT: 3000K, 4000K



LUXE

SURFACE COB



CODE	POWER	DIMENSION	BEAM ANGLE	IP
TR-LUX/12W	12W	D:55,H:65MM	36°	IP20
TR-LUX/15W	15W	D:75,H:95MM	36°	IP20

BODY COLOR: CHARCOAL GREY
CCT: 3000K, 4000K



NEO

SURFACE COB



CODE	POWER	ANGLE	IP
TR-NEO/07W	7W	360° Movable	IP20

BODY COLOR: BLACK
CCT: 3000K, 4000K, 6000K



FUSION GLASS

SURFACE COB



CODE	POWER	ANGLE	IP
TR-FSG/8W	8W	100°	IP20
TR-FSG/15W	15W	100°	IP20

BODY COLOR: BLACK
CCT: 3000K



MINI

SURFACE COB




CODE	POWER	DIMENSION	BEAM ANGLE	IP
TR-MSR/02W	2W	D:35,H:20MM	45°	IP20
TR-MSR/03W	3W	D:40,H:20MM	45°	IP20

BODY COLOR: ROSE GOLD, BLACK, BRASS
CCT: 3000K



STRIKER

SURFACE COB



CODE	POWER	DIMENSION	BEAM ANGLE	IP
TR-STR/03W	3W	D:35,H:20MM	120°	IP65

BODY COLOR: ROSE GOLD, BLACK, BRASS
CCT: 3000K



GRACE SURFACE SPOT LIGHT

ALUMINIUM DIE-CAST



CODE	POWER	REFLECTOR	OUTER	HEIGHT	BEAM ANGLE	IP
TR-GSL/12W	12W	BLACK	70MM	80MM	36°	IP20

BODY COLOR: BLACK, WHITE
CCT: 4000K



JEWEL

SURFACE CYLINDER



CODE	POWER	DIMENSION	ANGLE	IP
TR-JWL/12W	12W	D:75,H:115MM	38°	IP20



CCT: 4000K
BODY COLOR:
BRASS, ROSE GOLD, COPPER, GOLDEN






LED Strip Light

**Light Output
CRI <80**

LED Strip Lights that *Sparkle*
in Every Hue!

Air Strip



STRIP LIGHT

Recommended to be used with
Trabo LED Driver
10A 12V DC

LED Strip Lights that
in Every Hue!

Sparkle



CODE	LENGTH	WIDTH	LED	IP	COLOR
TR-STL/201	5 MTR.	5MM	120/180	Ip20	WHITE, WARM WHITE, NATURAL WHITE
TR-STL/202	5 MTR.	10MM	120	IP20	WHITE, WARM WHITE, NATURAL WHITE
TR-STL/203	5 MTR.	10MM	240	IP20	WHITE, WARM WHITE, NATURAL WHITE
TR-STL/204	10 MTR.	10MM	240LED (Driverless)	IP65	WARM WHITE (DRIVERLESS STRIP)
TR-STL/206/2835	50 MTR.	12MM	120	IP65	WHITE, WARM WHITE, NATURAL WHITE, ICE BLUE




DRIVER-STRIP



CODE	AMP.	WATTAGE	PF	IP
TR-DRI/207/36V	3Amp.	36W	>0.9	IP20
TR-DRI/208/12V	5Amp.	60W	>0.9	IP20
TR-DRI/208-A/12V (Premium)	5Amp.	60W	>0.9	IP20
TR-DRI/209/12V	10Amp.	120W	>0.9	IP20
TR-DRI/210/12V	25Amp.	300W	>0.9	IP20

PROFILE LIGHTING

ALUMINIUM PROFILE



Sr.No.	CODE	PRODUCT NAME	SIZE	AVAILABLE SIZE METER	PACKING SIZE
01	TR-PRL/301	SURFACE PROFILE	7MM x 9MM	2 METER	400 MTR.
02	TR-PRL/302	CONCEALED PROFILE	7MM x 9MM	2 METER	400 MTR.
03	TR-PRL/303	SURFACE PORIFLE	11 MM x 9 MM	2 METER	400 MTR.
04	TR-PRL/304	CONCEALED PROFILE	11 MM x 9 MM	2 METER	400 MTR.

Sr. No.	CODE	PRODUCT NAME	SIZE	AVAILABLE SIZE METER	PACKING SIZE
05	TR-PRL/305	SURFACE PROFILE	17MM x 7 MM	2 METER	600 MTR.
06	TR-PRL/306	CONCEALED PROFILE	17MM x 7 MM	2 METER	600 MTR.
07	TR-PRL/307	SURFACE PROFILE	25 MM x 12 MM	2 METER	400 MTR.
08	TR-PRL/308	CONCEALED PROFILE	25 MM x 12 MM	2 METER	400 MTR.
09	TR-PRL/309	SURFACE PROFILE	23 MM x 23 MM	2 METER	60 MTR.
10	TR-PRL/310	CONCEALED PROFILE	23 MM x 23 MM	2 METER	60 MTR.
11	TR-PRL/311	CORNER PROFILE	16 MM x16 MM	2 METER	400 MTR
12	TR-PRL/312	SURFACE PORILE	35 MM x 12 MM	2 METER	180 MTR
13	TR-PRL/313	CONCEALED PROFILE	35 MM x 12 MM	2 METER	180 MTR
14	TR-PRL/314	SURFACE PROFILE	35 MM x 35 MM	2 METER	60 MTR
15	TR-PRL/315	CONCEALED PROFILE	35 MM x 35 MM	2 METER	60 MTR
16	TR-PRL/316	SURFACE PROFILE	50 MM x 12 MM	2 METER	150 MTR
17	TR-PRL/317	CONCEALED PROFILE	50 MM x 12 MM	2 METER	150 MTR
18	TR-PRL/318	SURFACE PROFILE	50 MM x 35 MM	2 METER	60 MTR
19	TR-PRL/319	CONCEALED PROFILE	50 MM x 35 MM	2 METER	60 MTR
20	TR-PRL/320	SURFACE PROFILE	75 MM x 35 MM	2 METER	60 MTR
21	TR-PRL/321	CONCEALED PROFILE	75 MM x 35 MM	2 METER	60 MTR
22	TR-PRL/322	SURFACE PROFILE	100 MM x 35 MM	2 METER	60 MTR
23	TR-PRL/323	CONCEALED PROFILE	100 MM x 35 MM	2 METER	60 MTR
24	TR-PRL/324	ROUND PROFILE	60 MM	2.44 METER	60 MTR
25	TR-PRL/325	HANGING PROFILE (Black and White)	35MM x 70MM	4ft./8ft./12ft.	10/4/2 Pcs.
26	TR-PRL/326	HANGING PROFILE (Black and White)	50MM x 70MM	4ft./8ft./12ft.	10/4/2 Pcs.
27	TR-PRL/327	HANGING KIT	1.5 /2 METER	2 METER	100 NOS.

TRACK LIGHT



CODE	POWER	BODY COLOR	HOUSING	IP
TR-TRL/401/15W	15W	BLACK	ALUMINUM	IP20
TR-TRL/401/24W	24W	BLACK/WHITE	ALUMINUM	IP20
TR-TRL/401/36W	36W	BLACK/WHITE	ALUMINUM	IP20
TR-TRL/48W	48W	BLACK/WHITE	ALUMINUM	IP20

AVAILABLE IN : 3000K, 4000K, 6000K
BODY COLOR: BLACK, WHITE



LINEAR

TRACK LIGHT




CODE	POWER	BODY COLOR	ANGLE	IP
TR-LNR/402/10W	10W	BLACK	180° ADJUSTABLE	IP20
TR-LNR/402/20W	20W	BLACK	180° ADJUSTABLE	IP20
TR-LNR/402/30W	30W	BLACK	180° ADJUSTABLE	IP20

AVAILABLE IN : 4000K



TRACK

ACCESSORIES



SURFACE TRACK PLATE



TRACK JOINTERS



CODE	ITEM NAME	BODY COLOR	SIZE & TYPE
TR-TRC/404	TRACK	BLACK/WHITE	1MTR. and 2 MTR.
TR-TRC/405	SURFACE TRACK PLATE	BLACK/WHITE	-
TR-TRC/406	TRACK JOINTERS	BLACK/WHITE	I-Jointer, L-Jointer

SNAP ON- SNAP OFF- LIGHTS ON

MAGNETIC
LIGHT



LINEAR TRACKLIGHT MAGNETIC




Magnetic Linear



Magnetic Coner

CODE	POWER	SIZE	LUMENS	BODY COLOR	IP	CRI
TR-LNT801	20W	600x22x25 MM	>100 lm/W	BLACK	IP20	>90
TR802	20W	L300 + 300 X W22 X H25	>100 lm/W	BLACK	IP20	>90

Available in 4000 K



Energy Saving



Architect Choice



Angle adjustable



Best Color
Rendering

LINEAR SPOT

MAGNETIC



CODE	POWER	SIZE	LUMENS	BODY COLOR	IP	CRI
TR-LSP/803	12W	220X22X25MM	>100 lm/W	BLACK	IP20	>90

Available in 4000 K

 Energy Saving

 Architect Choice

 Angle adjustable

 Best Color Rendering

WALL WASHER

MAGNETIC



CODE	POWER	SIZE	LUMENS	BODY COLOR	IP	CRI	
TR-WS/810	12W	220X22X25MM	>100 lm/W	BLACK	IP20	>90	

Available in 4000 K

 Energy Saving

 Architect Choice

 Angle adjustable

 Best Color Rendering

MAGNETIC CHANNEL

Conceal /Surface



CODE	LENGTH	TYPE
TR-MCL/804/1M	1 METER	CONCEAL/ SURFACE
TR-MCL/805/2M	2 METER	CONCEAL/ SURFACE
TR-MCL/805/3M	3 METER	CONCEAL/ SURFACE

MAGNETIC " L"

JOINTER



CODE	ITEM NAME	SIZE
TR806	CONCEAL L JOINTER	80MM X 80 MM

I CONNECTOR


MODULE



CODE	NAME
TR-ICNT/807	I CONNECTOR MODULE

L CONNECTOR

MODULE



CODE	NAME
TR-LCNT/808	L CONNECTOR MODULE

DRIVER

MAGNETIC

DRIVER
100W




CODE	WATTAGE
TR-DR/809/100	100W

DRIVER
200W



CODE	WATTAGE
TR-DR/809/200	200W



Streamlined
lighting for modern
spaces!

PANEL & LINEAR LIGHT




2X2
PANEL



CODE	POWER	SHAPE	CUT SIZE	BEAM ANGLE	IP
TR-2x2/48W	48W	SQUARE	600M	120°	IP20

***NOW YOU CAN TURN
YOUR OFFICE LIGHTS → Surface Light**





CCT: 3000K, 4000K, 6000K



LINEAR

HANGING



CODE	POWER	Length	SIZE (LXWXH)	LUMENS
TR-LNH/40W	40W	4ft.	35x70 / 50x70	>100 lm /W
TR-LNH/60W	60W	8ft.	35x70 / 50x70	>100 lm /W
TR-LNH/80W	80W	12ft.	35x70 / 50x70	>100 lm /W
TR-LNE/40W	40W	4FT	35x70	>100 lm /W

AVAILABLE UPTO 12FT.

AVAILABLE IN : 3000K, 4000K, 6000K
BODY COLOR: BLACK, WHITE



STREAK

FLOOD LIGHT



Pressure Die Cast Aluminium with toughened glass cover

CRI>90 PF> 0.9

CODE	POWER	IP	LUMENS
TR-STK/601/50W	50W	IP66	>100 lm /W
TR-STK/602/100W	100W	IP66	>100 lm /W
TR-STK/604/200W	200W	IP66	>100 lm /W

50k
Burning
Hours

>70
CRI

4kV
Surge
Protection

AVAILABLE IN : WHITE

OPERATING TEMP. RANGE: -20°C to 50°C

AQUA

FLOOD LIGHT



Aluminum Case with
Waterproof Design



Heat Sinks for Better
Thermal Dissipation



Toughened Glass

180° Adjustable Bracket
for Easy Installation

Pressure Die Cast Aluminium with toughened glass cover

CRI>90 PF> 0.9

CODE	POWER	SIZE (LxWxH)	LUMENS
TR-AQA/601/50W	50W	205MM X 193MM X 41MM	>100 lm /W
TR-AQA/602/100W	100W	275MM X 205MM X 42MM	>100 lm /W
TR-AQA/603/150W	150W	337MM X 258MM X 43MM	>100 lm /W
TR-AQA/604/200W	200W	387MM X 298MM X 43MM	>100 lm /W

AVAILABLE IN : WHITE, WARM WHITE,
NATURAL WHITE, GREEN

OPERATING TEMP. RANGE: -20°C to 50°C

BACKCHOKE

Flood



Aluminium Body with **Backchoke** & toughened glass

CRI>90 PF> 0.9

CODE	POWER	LUMENS
TR-BCH/651/100W	100W	>100 lm /W
TR-BCH/652/200W	200W	>100 lm /W
TR-BCH/653/300W	300W	>100 lm /W
TR-BCH/654/400W	400W	>100 lm /W
TR-BCH/655/500W	500W	>100 lm /W

AVAILABLE IN : WHITE

OPERATING TEMP. RANGE: -20°C to 50°C

OVAL
STREET LIGHT




Oval Shape Pressure Die Cast Aluminium (Lens PAD)

CRI>90 PF> 0.9 IP65

CODE	POWER	LUMENS
TR-OVL/701/24W	24W	>100 lm /W
TR-OVL/702/36W	36W	>100 lm /W
TR-OVL/703/50W	50W	>100 lm /W
TR-OVL/704/100W	100W	>100 lm /W

Operating Temp. Range: -20°C to 50°C

PREMIUM
STREET LIGHT



Aluminium Body with toughened glass cover



CRI>90 PF> 0.9 IP65

CODE	POWER	LUMENS
TR-PST/701/24W	24W	>100 lm /W
TR-PST/702/36W	36W	>100 lm /W
TR-PST/703/54W	54W	>100 lm /W
TR-PST/703/72W	72W	>100 lm /W
TR-PST/704/100W	100W	>100 lm /W

Operating Temp. Range: -20°C to 50°C

FACADE LIGHTS

Elevate Your Exterior with
Trabo's Outdoor Lights




Elevation Lights

OUTDOOR




2 WAY ECO

CODE : TR-WE/601/2W
POWER : 2W



2 WAY NEO

CODE : TR-WN/601/2W
POWER : 2W




4 WAY WARM WHITE

CODE : TR-WW/601/4W
POWER : 4W




4 WAY AUTO CHANING

CODE : TR-AC/601/4W
POWER : 4W




2+1 SMALL

CODE : TR-SM/601/7W
POWER : 7W




2+1 BIG

CODE : TR-BG/601/4W
POWER : 4W



4+1

CODE : TR-4+1/601/4W
POWER : 4W



6+1

CODE : TR-6+1/601/7W
POWER : 7W

Elevation Lights

OUTDOOR



GLASS SMALL

CODE : TR-GS/601/4W
POWER : 4W



GLASS BIG

CODE : TR-GB /601/8W
POWER : 8W



CYLINDER SMALL

CODE : TR-CS/601/5W
POWER : 5W




CYLINDER BIG

CODE : TR-CB/601/10W
POWER : 10W



OPAL

CODE : TR-OP/601/6W
POWER : 6W



FLARE

CODE : TR-FL/601/6W
POWER : 6W



FOOT LIGHT (SQ)

CODE : TR-FL601
POWER : 2W, 3W, 5W




FOOD LIGHT (RD)

CODE : TR-FL/601/3W
POWER : 3W

Elevation Lights

OUTDOOR

Vision Series



SLEEK | 6W

CODE : TR-SLK/601/6W




VISION | 2W

CODE : TR-VIS/601/2W




VISION | 4W

CODE : TR-VIS/601/4W



VISION | 8W

CODE : TR601/16W



VISION | 12W

CODE : TR-VIS/601/12W

LINEAR
WALL WASHER



Pressure Die Cast Aluminium with toughened glass cover

CRI>90 PF> 0.9

CODE	POWER	SIZE (LxWxH)	IP
TR-LNR/601/36W	36W	1000MM X 40MM X 27MM	IP67

AVAILABLE IN :WARM WHITE

OPERATING TEMP. RANGE: -20°C to 50°C

BEAMER

LENS LIGHT



CODE	POWER	IP RATING
TR-BMR/501/12W	12W	ECO IP67 WATERPROOF
TR-BMR/502/18W	18W	ECO IP67 WATERPROOF

AVAILABLE IN : WARM WHITE



GARDEN LIGHT

SPIKE



CODE	POWER	LUMENS	SURGE AND WITHSTAND VOLT	CRI	IP RATING
TR-GRL/500/05W	5W	500LM	1.5KV/380Vac	>80%	IP66 WATERPROOF
TR-GRL/500/09W	9W	900LM	2.5 KV/380 Vac	>80%	IP66 WATERPROOF
TR-GRL/500/12W	12W	1200 LM	2.5 KV/380 Vac	>80%	IP66 WATERPROOF

AVAILABLE IN : WARM WHITE, GREEN, RGB





GATE LAMP



GATE LAMP

OUTDOOR



SAGE



TOSHIBA



TROY (BULB)



DENVER



TREO



CUBOID

CODE	PRODUCT NAME	POWER
TR-SG/601/5W	Sage	5W
TR-TSB/12W/18W	Toshiba	12W/18W
TR-TRO/604/	Troy (Bulb)	Bulb
TR-DEN/604/20W	Denver	20W
TR-TRE/604/18W	Treo	18W
TR-CUB/602/12W	Cuboid	12W

GATE LAMP

OUTDOOR

GLORY

CODE : TR-GR/602/

POWER : Bulb



MUSHROOM

CODE : TR-MUS-M601/16W

POWER : 16W



BOLLARD

BOLLARD LIGHT

OUTDOOR




CUBE

CODE : TR-CUB/12W

POWER : 12W

Size : 24 Inches



MUSHROOM

CODE : TR-MUS/16W

POWER : 16W

Size : 12 Inches | 24 Inches



COMPASS

CODE : TR-COM/16W

POWER : 12W

Size : 24 Inches



PRISM

CODE : TR-PR/6W

POWER : 6W

Size : 24 Inches



WISDOM

CODE : TR-WIS/14W

POWER : 14W

Size : 12 Inches |

24 Inches

BOLLARD LIGHT

OUTDOOR

CURVE

CODE : TRBOCU601/10W

POWER : 10W

Size : 24 Inches

Body : Grey Color

IP : 65



UMBRELLA


CODE : TRBOUM/5W

POWER : 5W

Size : 24 Inches


Body : Grey Color

IP : 65



EYE
CODE:BOEYE
Size: 24 Inches
Body: Grey Color
IP: 65

POWER : 5W



POWER : 10W

Good lighting takes good planning

Give your property's lighting design the benefit of professional advice. With Trabo Light Planning Service you get expert guidance to achieve the right effect using the key features of your building's architecture, as well as evoke the right mood in your interior spaces



Enhance the ambiance of your living space

Match your style with **TRABO** which comes with a long-lasting LED light source that illuminates with a powerful & concentrated beam. settings such as bedrooms & living rooms.





TRABO LED LIGHTS

Head Office: 21, 2nd Floor, 18A-Takshila Complex,
Andheri -400093 Mumbai (M.H.)

Regional Office: 2nd Floor, Alark Mall,
Lalghati Square, Bhopal -462030 (M.P.)

Contact No: 888-999-1466 | 888-999-1491 | 888-999-1494

Write to us: hellotrabo@gmail.com

Specifications mentioned are based on test reports at the time of preparation of this catalogue.
• Technical products are under continuous upgradation & specification may vary 5-10%, depending on testing standards/instruments • Value parameters are approximate • Images are for reference purpose only, drawn from photographs & rendering • Actual products may vary in appearance.



www.traboled.com